



Centurion Gearbox Oil N1

– Transmission Oil for Centurion Aircraft Engine Gearboxes –

This is a SAFETY DATA SHEET (SDS) for the use of Centurion Gearbox Oil N1. The Centurion Gearbox Oil N1 is a premium quality gearbox oil, specifically designed for gearboxes of the Centurion diesel aircraft engines offered by Technify Motors GmbH. It is an exclusive lubricant for the latest long term LEP Centurion gearboxes.

Section 1. Identification of the Substance/Mixture and of the Company

1.1 Product Identifier

Material Name: Centurion Gearbox Oil N1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product Use: Gearbox

Uses Advised Against: This product must not be used in applications other than those recommended in Section 1, without first seeking the advice of the supplier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: TECHNIFY MOTORS GMBH
Platanenstr. 14
09356 St. Egidien
Germany

Telephone: +49-37204-6960

Fax: +49-37204-6962912

E-Mail contact for SDS: If you have any inquiries about the content of this SDS please send an e-mail to info@centurion.aero.

1.4 Emergency Telephone Number

+49-37204-6960

Monday – Friday 08am – 5pm CET

Section 2. Hazards Identification

2.1 Classification of the substance or mixture according to directive 1999/45/EC

Hazard characteristics: Not classified as dangerous under EC criteria.

R-phrases(s): Sensitizer not sufficient to classify: Contains alkyl phosphate. May produce an allergic reaction.



2.2 Label elements according to directive 1999/45/EC

EC Symbols:	No hazard symbol required.
Uses Advised Against:	This product must not be used in applications other than those recommended in Section 1, without first seeking the advice of the supplier.

2.3 Other hazards

Health hazards:	Not expected to be a health hazard when used under normal conditions. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful impurities.
Safety hazards:	Not classified as flammable but will burn.
Environmental hazards:	Not classified as dangerous for the environment.
E-Mail contact for SDS:	If you have any inquiries about the content of this SDS please send an e-mail to info@centurion.aero .

Section 3. Composition/Information on Ingredients

3.1 Substance

Material name:	Not applicable.
-----------------------	-----------------

3.2 Mixtures

Mixture description:	Blend of polyolefins, highly-refined mineral oil and additives.
-----------------------------	---

Hazardous Components:	Classification of components according to Regulation (EC) No 1272/2008.
------------------------------	---

Chemical Name	CAS No.	EC NO.	REACH Registration No.	Con.
Long chain alkyl amine thiophosphate	Not Available	417-450-2	Not available / Not applicable.	0,50 - 0,99%
Interchangeable low viscosity base oil (<20,5 cSt@40°C)	*	*	*	0,00 - 90,0%

Chemical Name	Hazard Class & Category	Hazard Statement
Long chain alkyl amine thiophosphate	Eye Dam., 2; Skin Corr., 2; Skin Sens., 1; Aquatic Chronic, 3	H319; H315; H317; H412;
Interchangeable low viscosity base oil (<20,5 cSt@40°C)	Asp. Tox., 1;	H304;

Classification of components according to 67/548/EEC

Chemical Name	CAS No.	EC Number	REACH Registration No.	Symbol(s)	R-phrases)	Conc.
Long chain	Not available	417-450-2	Not available /	Xi	R36/38; R43;	0,50 -0,99%



alkyl amine
thiophosphate

Not
applicable.

R52/53

Additional Information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346. The highly refined mineral oil is only present as additive diluent. Refer to Ch 16 for full text of R- and H- phrases. * contains one or more of the following CAS-numbers (REACH registration numbers):
64742-53-6 (01-2119480375-34),
64742-54-7 (01-2119484627-25),
64742-55-8 (01-2119487077-29),
64742-56-9 (01-2119480132-48),
64742-65-0 (01-2119471299-27),
68037-01-4 (01-2119486452-34),
72623-86-0 (01-2119474878-16),
72623-87-1 (01-2119474889-13),
8042-47-5 (01-2119487078-27),
848301-69-9 (01-0000020164-80).
This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Section 4. First Aid Measures

4.1 Description of First Aid Measures

General information: Not expected to be a health hazard when used under normal conditions..

Inhalation: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.

Skin Contact: Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.

Eye Contact Flush eye with copious quantities of water. If persistent irritation occurs, obtain medical attention.

Ingestion: general no treatment is necessary unless large quantities are swallowed, however, get medical advice.

Self-protection of the first Aider: When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.

4.2 Most important symptoms and effects, both acute and delayed

Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.

4.3 Indication of any immediate medical attention and special treatment needed:

Notes to doctors/physician: Treat symptomatically.



Section 5. First Aid Measures

Clear fire area of all non-emergency personnel!

Suitable Extinguishing Media:	Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable Extinguishing Media:	Do not use water in a jet.
Special hazards arising from the substance or mixture:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds.
Advice for firefighters;	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469)

Section 6. Accidental Release Measures

Avoid contact with spilled or released material. For guidance on selection of personal protective equipment see Chapter 8 of this Material Safety Data Sheet. Observe the relevant local and international regulations!

Personal precautions, protective equipment and emergency procedures	For non emergency personnel: Avoid contact with skin and eyes. For non emergency responders: Avoid contact with skin and eyes.
Environmental precautions:	Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
Methods and material for containment and cleaning up:	Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.
Additional advice;	Local authorities should be advised if significant spillages cannot be contained.
Reference to other sections:	For guidance on selection of personal protective equipment see Chapter 8 of this Material Safety Data Sheet. For guidance on disposal of spilled material see Chapter 13 of this Material Safety Data Sheet.

Section 7. Handling and Storage

General precautions:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
-----------------------------	--



7.1 Precautions for safe:

Handling:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires. Keep container tightly closed and in a cool, well-ventilated place. Use properly labelled and closeable containers.
Product Transfer:	This material has the potential to be a static accumulator. Proper grounding and bonding procedures should be used during all bulk transfer operations.

7.2 Conditions for safe:

Storage, including any incompatibilities:	Store at ambient temperature. Refer to section 15 for any additional specific legislation covering the packaging and storage of this product..
Recommended Materials:	For containers or container linings, use mild steel or high density polyethylene.
Unsuitable Materials:	PVC

7.3 Specific end use

Specific end use(s):	Not applicable.
Additional information:	Polyethylene containers should not be exposed to high temperatures because of possible risk of distortion. Storage class according to TRGS 510: 10 Fire hazard classification: B.

Section 8. Exposure Controls/Personal Protection

If the American Conference of Governmental Industrial Hygienists (ACGIH) value is provided on this document, it is provided for information only.

8.1 Control Parameters

Occupational Exposure Limits	Material:	Oil mist; mineral
	Source:	T ACGIH
	Type:	TWA (Inhalable fraction)
	Ppm:	
	mg/m ³ :	5 mg/m ³
	Notation:	
Biological Exposure Index (BEI)	No biological limit allocated	
PNEC related information :	Data not available	
Monitoring Methods:	Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances	



biological monitoring may also be appropriate. Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory. Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods <http://www.cdc.gov/niosh/>

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods <http://www.osha.gov/>

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances <http://www.hse.gov.uk/>

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany. <http://www.dguv.de/inhalt/index.jsp>

L'Institut National de Recherche et de Sécurité, (INRS), France <http://www.inrs.fr/accueil>

8.2 Exposure Controls:

General Information:

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations. Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

Define procedures for safe handling and maintenance of controls. Educate and train workers in the hazards and control measures relevant to normal activities associated with this product. Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation. Drain down system prior to equipment break-in or maintenance. Retain drain downs in sealed storage pending disposal or for subsequent recycle. Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Equipment:

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards. Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eyp Protection

Wear safety glasses or full face shield if splashes are likely to occur. Approved to EU Standard EN166.

Hand Protection

Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made



from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same, but recognise that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time may be acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material.

Body Protection:	Skin protection not ordinarily required beyond standard issue work clothes.
Respiratory Protection	No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for combined particulate/organic gases and vapours [boiling point >65 °C (149 °F)] meeting EN14387.
Thermal Hazards:	Not applicable.
Environmental exposure control measures:	Minimise release to the environment. An environmental assessment must be made to ensure compliance with local environmental legislation. Information on accidental release measures are to be found in section 6.

Section 9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Blue. Liquid at room temperature.
Odour:	Slight hydrocarbon.
Odour threshold:	Data not available
pH	Not applicable.
Initial Boiling Point and Boiling Range::	> 280 °C / 536 °F estimated value(s)
Flash Point:	Typical 240 °C / 464 °F (COC)
Upper / lower Flammability or Explosion limits:	Typical 1 - 10 %(V)
Auto-ignition temperature:	> 320 °C / 608 °F



Vapour pressure:	< 0,5 Pa at 20 °C / 68 °F (estimated value(s))
Relative Density:	Typical 0,843 at 15 °C / 59 °F
Density:	Typical 843 kg/m ³ at 15 °C / 59 °F
Water solubility:	Negligible.
Solubility in other solvents :	Data not available
n-octanol/water partition coefficient (log Pow):	> 6 (based on information on similar products)
Dynamic viscosity:	Data not available
Kinematic viscosity:	Typical 61,8 mm ² /s at 40 °C / 104 °F
Vapour density (air=1):	> 1 (estimated value(s))
Evaporation rate (nBuAc=1):	Data not available
Decomposition Temperature:	Data not available
Flammability:	Data not available
Oxidizing Properties:	Data not available
Explosive Properties:	Not classified

9.2 Other Information

Electrical conductivity:	This material is not expected to be a static accumulator.
Other Information:	not a VOC
Volatile organic compound :	0 %

Section 10. Stability and Reactivity

Reactivity :	The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph
Chemical stability :	No hazardous reaction is expected when handled and stored according to provisions.
Possibility of Hazardous Reactions:	Reacts with strong oxidising agents.
Conditions to Avoid :	Extremes of temperature and direct sunlight
Incompatible Materials:	Strong oxidising agents.
Hazardous Decomposition Products:	Hazardous decomposition products are not expected to form during normal storage.

Section 11. Toxicological Information

11.1 Information on Toxicological Effects

Basis for Assesment:	Information given is based on data on the components and the toxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual
-----------------------------	---



	component(s).
Likely Routes of Exposure:	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Acute Oral Toxicity :	Expected to be of low toxicity: LD50 > 5000 mg/kg , Rat
Acute Dermal Toxicity:	Expected to be of low toxicity: LD50 > 5000 mg/kg , Rabbit
Acute Inhalation Toxicity:	Not considered to be an inhalation hazard under normal conditions of use.
Skin corrosion/irritation :	Expected to be slightly irritating. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.
Serious eye damage/irritation:	Expected to be slightly irritating.
Respiratory Irritation :	Inhalation of vapours or mists may cause irritation.
Respiratory or skin Sensitization:	For respiratory and skin sensitisation: Not expected to be a sensitiser.
Aspiration Hazard:	Not considered an aspiration hazard.
Germ cell mutagenicity:	Not considered a mutagenic hazard.
Carcinogenicity:	Not expected to be carcinogenic.
<i>Material:</i>	<i>Carcinogenicity Classification</i>
Highly refined mineral oil (IP346 <3%)	ACGIH Group A4: Not classifiable as a human carcinogen.
Highly refined mineral oil (IP346 <3%	IARC 3: Not classifiable as to carcinogenicity to humans.
Highly refined mineral oil (IP346 <3%)	GHS / CLP: No carcinogenicity classification
Reproductive and Developmental Toxicity:	Not expected to be a hazard.
Summary on evaluation of the CMR properties Carcinogenicity :	This product does not meet the criteria for classification in categories 1A/1B.
Mutagenicity :	This product does not meet the criteria for classification in categories 1A/1B.
Reproductive Toxicity (fertility):	his product does not meet the criteria for classification in categories 1A/1B.
Specific target organ toxicity - single exposure:	Not expected to be a hazard.
Specific target organ toxicity - repeated exposure:	Not expected to be a hazard.
Additional Information:	Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal. ALL used oil



should be handled with caution and skin contact avoided as far as possible. Classifications by other authorities under varying regulatory frameworks may exist.

Section 12. Ecological Information

Basis for Assessment	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Acute Toxicity :	Poorly soluble mixture. May cause physical fouling of aquatic organisms. Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l (to aquatic organisms) LL/EL50 expressed as the nominal amount of product required to prepare aqueous test extract.
Persistence and degradability:	Expected to be not readily biodegradable. Major constituents are expected to be inherently biodegradable, but the product contains components that may persist in the environment.
Bioaccumulative Potential	Contains components with the potential to bioaccumulate.
Mobility in Soil	Liquid under most environmental conditions. If it enters soil, it will adsorb to soil particles and will not be mobile. Floats on water
Result of PBT and vPvB assesment:	This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.
Other Adverse Effects:	Product is a mixture of non-volatile components, which are not expected to be released to air in any significant quantities. Not expected to have ozone depletion potential, photochemical ozone creation potential or global warming potential

Section 13. Disposal Considerations

Basis for Assessment	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Material Disposal	Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water



courses

Container Disposal : Dispose in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand.

Local Legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. EU Waste Disposal Code (EWC): 13 02 06 synthetic engine, gear and lubricating oils. Classification of waste is always the responsibility of the end user.

Section 14. Transport Information

Land Transport (ADR/RID)

ADR This product is not classified as dangerous for this mode of transport. Therefore 14.1 UN Number, 14.2 UN Proper Shipping name, 14.3 Transport hazard class(es), 14.4 Packing group, 14.5 Environmental hazards, 14.6 Special precautions for user do not apply.

RID This product is not classified as dangerous for this mode of transport. Therefore 14.1 UN Number, 14.2 UN Proper Shipping name, 14.3 Transport hazard class(es), 14.4 Packing group, 14.5 Environmental hazards, 14.6 Special precautions for user do not apply.

Inland waterways transport (ADN)

ADN This product is not classified as dangerous for this mode of transport. Therefore 14.1 UN Number, 14.2 UN Proper Shipping name, 14.3 Transport hazard class(es), 14.4 Packing group, 14.5 Environmental hazards, 14.6 Special precautions for user do not apply.

CDNI Inland Water Waste Agreement NST 3411 Mineral Lubricating Oils

Sea transport (IMDG Code)

IMDG This product is not classified as dangerous for this mode of transport. Therefore 14.1 UN Number, 14.2 UN Proper Shipping name, 14.3 Transport hazard class(es), 14.4 Packing group, 14.5 Environmental hazards, 14.6 Special precautions for user do not apply.
14.7 Transport in Bulk according to Annex II of MARPOL 73/78 and the IBC Code
Pollution Category : Not applicable.
Ship Type : Not applicable.
Product Name : Not applicable.
Special Precaution : Not applicable.

Additional Information : MARPOL Annex 1 rules apply for bulk shipments by sea.

Air transport (IATA):

IATA This product is not classified as dangerous for this mode of transport. Therefore 14.1 UN Number, 14.2 UN Proper Shipping name, 14.3 Transport hazard class(es),



14.4 Packing group, 14.5 Environmental hazards, 14.6 Special precautions for user do not apply.

Section 15. Regulatory Information

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulatory Information Authorisations and/or restrictions on use:	Product is not subject to Authorisation under REACH.
Recommended Restrictions on Use (Advice Against):	This product must not be used in applications other than those recommended in Section 1, without first seeking the advice of the supplier.
Chemical Inventory Status	EINECS: All components listed or polymer exempt. TSCA : All components listed.
National Legislation	Water Pollution Class : WGK 2 - hazard to waters (appendix 2, VwVwS, preparations). Other Information : Technische Anleitung Luft: Product not listed by name. Observe section 5.2.5 in connection with section 5.4.9

15.2 Chemical Safety

Assessment	No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.
-------------------	--

Section 16. Other Information

R-phrases(s)	Not classified. R36/38 Irritating to eyes and skin. R43 May cause sensitization by skin contact. R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
CLP Hazard Statements	H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.
Additional Information	No Exposure Scenario annex is attached to this safety data sheet. It is a non-classified mixture containing hazardous substances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS.
Other Information Abbreviations and Acronyms	Acute Tox. = Acute toxicity Asp. Tox. = Aspiration hazard Aquatic Acute = Acute hazards to the aquatic environment Aquatic Chronic = Hazardous to the aquatic environment - Long-term Hazard



Eye Dam. = Serious eye damage/eye irritation
Flam. Liq. = Flammable liquids
Skin Corr. = Skin corrosion/irritation
Skin Sens. = Skin sensitizer
STOT SE = Specific target organ toxicity - single exposure
STOT RE = Specific target organ toxicity - repeated exposure

The standard abbreviations and acronyms used in this document can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.

ADN = European Agreement concerning the international carriage of dangerous goods by inland waterways (ADN)
DFG = Federal Institute of Hydrology
EG = European Community
EN = European Norm
IBC = Intermediate Bulk Container
ISO = International Standards Organisation
MAK = Maximum workplace concentration
OECD = Organisation for economic cooperation and development
OEL = Occupational Exposure Limits
PSA = Personal protective equipment
TRGS = Technical rules for hazardous substances
VO = Regulation
VOC = Volatile Organic Compounds
VwVwS = Water administrative pollutants
WGK = Water Hazard Class
ACGIH = American Conference of Governmental Industrial Hygienists
ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road
AICS = Australian Inventory of Chemical Substances
ASTM = American Society for Testing and Materials
BEL = Biological exposure limits
BTEX = Benzene, Toluene, Ethylbenzene, Xylenes
CAS = Chemical Abstracts Service
CEFIC = European Chemical Industry Council
CLP = Classification Packaging and Labelling
COC = Cleveland Open-Cup
DIN = Deutsches Institut für Normung
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
DSL = Canada Domestic Substance List
EC = European Commission
EC50 = Effective Concentration fifty
ECETOC = European Center on Ecotoxicology and Toxicology Of Chemicals
ECHA = European Chemicals Agency
EINECS = The European Inventory of Existing Commercial Chemical Substances
EL50 = Effective Loading fifty
ENCS = Japanese Existing and New Chemical Substances Inventory
EWC = European Waste Code
GHS = Globally Harmonised System of Classification and Labelling of Chemicals
IARC = International Agency for Research on Cancer
IATA = International Air Transport Association
IC50 = Inhibitory Concentration fifty
IL50 = Inhibitory Level fifty



IMDG = International Maritime Dangerous Goods
INV = Chinese Chemicals Inventory
IP346 = Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables
KECI = Korea Existing Chemicals Inventory
LC50 = Lethal Concentration fifty
LD50 = Lethal Dose fifty per cent.
LL/EL/IL = Lethal Loading/Effective Loading/Inhibitory loading
LL50 = Lethal Loading fifty
MARPOL = International Convention for the Prevention of Pollution From Ships
NOEC/NOEL = No Observed Effect Concentration / No Observed Effect Level
OE_HP V = Occupational Exposure - High Production Volume
PBT = Persistent, Bioaccumulative and Toxic
PICCS = Philippine Inventory of Chemicals and Chemical Substances
PNEC = Predicted No Effect Concentration
REACH = Registration Evaluation And Authorisation Of Chemicals
RID = Regulations Relating to International Carriage of Dangerous Goods by Rail
SKIN_DES = Skin Designation
STEL = Short term exposure limit
TRA = Targeted Risk Assessment
TSCA = US Toxic Substances Control Act
TWA = Time-Weighted Average
vPvB = very Persistent and very Bioaccumulative

SDS Distribution : The information in this document should be made available to all who may handle the product.

SDS Version Number : 1.0

SDS Effective Date : 01.10.2013

SDS Revisions : A vertical bar (|) in the left margin indicates an amendment from the previous version.

SDS Regulation : [Regulation 1907/2006/EC as amended by Regulation \(EU\) 453/2010](#)

Disclaimer : This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.